

IBM 000-011 Exam

000-011: IBM Tivoli AP Dependency+Discovery Mgr V7.1 Implementation

Practice Exam: 000-011 Exams

Exam Number/Code: 000-011

Exam Name: IBM Tivoli AP Dependency+Discovery Mgr V7.1 Implementation

Questions and Answers: 156 Q&As
(IBM certifications I)



Exam : [000-011](#)

We provide professional IBM 000-011 exam information and free demo for 000-011 certification exam's PDF. It is the best and the latest IBM Practice Exams. Download our 000-011 PDF. We are committed to your ongoing success. Free PassBible 000-011 exam and 000-011 Q&As are constantly being updated and compared to industry standards.

PassBible Test tool's advantages:

High Quality and Value of 000-011 exam

PassBible IBM IBM certifications I 000-011 Practice Questions is developed and finished by IBM technical team , cover every field of the exam . Besides, we have verified 000-011 answers,almost 100% correct.

100% Guarantee to Pass 000-011 Exam

We promise to give you FULL REFUND if you fail the IBM certifications I 000-011 certification(IBM Certified Network Associate) with the use of our PassBible testing engine.

000-011 Self Test Mode

PassBible provides a simulated and interactive environment where you can test your knowledge and skills about 000-011 to ensure enough assurance in real testing center.

Periodic Updates of PassBible 000-011

Once there is some change on IBM 000-011 exam, we will update it timely, and the product you buy will be updated within 90 days for free.

Professional and Efficient Service

We offer 7*24 customer support via diverse channels: LIVE CHAT,MAIL.Expecting the communication with you about IT certification.

This 000-011 pdf demo do not include the questions and answers's picture.

Exam : IBM 000-011

Title : IBM Tivoli AP Dependency+Discovery Mgr V7.1 Implementation

1. A customer's IT department may have a preference for the type of database that is used.

What are all of the supported database for IBM Tivoli Application Dependency and Discovery Manager V7.1?

A.DB2 V8.2 and V9.1

B.DB2 V8.2, V9.1 and Oracle V9i, V10g

C.all flat files and relational databases, including DB2 and MySQL

D.DB2 V9.1, Oracle V9i and V10g, and Microsoft SQL Server 2005/2008

Answer: B

2. What is used to change the maximum heap size for all IBM Tivoli Application Dependency and Discovery Manager V7.1 Java applications?

- A. -Xmx
- B. -Xms
- C. -Xmn
- D. -XX:MaxPermSize

Answer: A

3. Where is the Create Custom Server button for the Unknown Servers found?

- A. Inventory Results page
- B. Custom Query Results page
- C. Topology -> Physical Infrastructure pane
- D. Discovered Components -> Application Infrastructure right button selection

Answer: A

4. Which three items must be specified when configuring IBM Tivoli Application Dependency and Discovery Manager V7.1 to authenticate to an LDAP user registry? (Choose three.)

- A. LDIF version
- B. hostname of the LDAP server
- C. the root of the distinguished name
- D. the port number of the LDAP server
- E. root user's password for LINUX or UNIX
- F. the name of the object class used to represent users in LDAP

Answer: BDF

5. What are the two supported browsers and corresponding operating systems for the Product Console and the Domain Manager? (Choose two.)

- A. Netscape on UNIX
- B. Internet Explorer V7 for Windows
- C. Internet Explorer V6 and V7 for Windows
- D. Firefox 2.0 for Linux, Solaris, AIX and Windows
- E. Firefox 2.0 and Netscape for Linux, Solaris and AIX

Answer: BD

6. Which parameter in the collation.properties forces all modules to at least log at the current level?

- A. com.collation.log.level
- B. com.collation.debuglevel
- C. com.collation.log.level vm.Topology
- D. com.collation.deploy.dynamic.logging

Answer: A

7. What are three reasons to obtain information about the customer's server operating systems from system administrators? (Choose three.)

- A. to optimize the logging level
- B. to increase database performance
- C. to determine the number of firewalls
- D. to verify the output of Level 1 discovery
- E. to evaluate the need for Windows gateways
- F. to start the process to obtain access credentials

Answer: DEF

8. A customer wants to run credential free discoveries using Nmap. There is a firewall between the IBM Tivoli Application Dependency and Discovery Manager V7.1 (TADDM) server and the target machines.

Which operating system combination is valid for the customer?

- A. TADDM server and anchor server are on AIX
- B. TADDM server on Solaris and anchor server on Linux
- C. TADDM server on Linux and anchor server on Windows 2000 Server
- D. TADDM server on Windows 2000 Server and anchor server on Linux

Answer: B

9. An anchor server is to be deployed on a Windows 2003 Server.

Which supported Windows SSH software communicates to the IBM Tivoli Application Dependency and Discovery Manager V7.1 server?

- A. WinSSHD only
- B. only WinSSHD or Cygwin
- C. WinSSHD, Cygwin or Putty
- D. WinSSHD, Cygwin or SSHWinClient

Answer: A

10. An IBM Tivoli Application Dependency and Discovery Manager V7.1 server can be installed in many different environments.

Which pre-requisite must be met prior to the installation?

- A. acquire OS hosting preference only
- B. acquire customer application preference
- C. acquire customer hardware and firewall preference
- D. acquire customer hardware and OS hosting preference

Answer: D

11. A customer has a firewall between 800 Windows Servers and the IBM Tivoli Application Dependency and Discovery Manager V7.1 (TADDM) Domain Server. The customer requires that a single Level 3 discovery run be performed for all 800 Windows Servers at the same time.

Which architecture best meets the customers requirement?

- A. a TADDM Domain Server with one Linux anchor server
- B. a TADDM Domain Server with one Windows gateway server
- C. a TADDM Domain Server with two Windows gateway servers
- D. a TADDM Domain Server with one Windows anchor server and one Windows gateway server

Answer: C

12. A customer has three data centers with 2500, 3000, 4000 Server Equivalents that need to be discovered. The executives want the ability to view the related Business Applications of the data centers.

What is the minimum architecture requirement?

- A. one IBM Tivoli Application Dependency and Discovery Manager V7.1 (TADDM) Domain Server with one anchor server for each data center
- B. one TADDM Domain Server for each data center with the ability to synchronize to one TADDM Enterprise Server
- C. one TADDM Domain Server to discover all three data centers and synchronize the data back to one TADDM Enterprise Server
- D. four TADDM Domain Servers, one domain for each data center with the ability to synchronize back to the main focal point domain server

Answer: B

13. A customer is interested in running credential-free discoveries and Nmap is a great optional solution.

Which operating systems can IBM Tivoli Application Dependency and Discovery Manager V7.1 leverage using Nmap?

- A. Nmap on all platforms
- B. Linux, AIX and Windows

C.Linux, Solaris and Windows
D.Linux, Solaris and AIX with Nmap v3.0
Answer: C

14. What is the recommended maximum number of Configuration Items (CIs) or Computer Systems (CSs) that the domain server can discover and store?

- A.100,000 CIs or 2500 CSs
- B.250,000 CIs or 2500 CSs
- C.2 million CIs or 10,000 CSs
- D.10 million CIs or 10,000 CSs

Answer: C

15. Which is a required step for configuring an IBM Tivoli Application Dependency and Discovery Manager V7.1 anchor server?

- A.run a discovery
- B.create a gateway server
- C.create an LDAP entry for the anchor server administrator
- D.add access credentials for the anchor server in the Access List

Answer: D

16. In a customer network environment, there are two firewalls between the IBM Tivoli Application Dependency and Discovery Manager V7.1 (TADDM) server and the targeted systems. Behind Firewall #1 there are 1000 Computer Systems: 500 Windows 2000 and 500 Windows 2003 Servers. Behind Firewall #2 there are approximately 800 UNIX systems.

What are the two best architecture choices? (Choose two.)

- A.Firewall #1: one AIX anchor server
- B.Firewall #2: one Windows 2003 anchor server
- C.Firewall #1: one Windows 2003 gateway server
- D.Firewall #2: no anchor or gateway server is required
- E.Firewall #1: one TADDM Domain Server and one Windows 2003 gateway server

Answer: BC

17. Which statement is true about application descriptor files?

- A.Application descriptor files are xml files that need to be deployed by the customer.
- B.Application descriptor files automatically find Business Services and will create those Business Services during discovery.
- C.There are three different application descriptor file formats, all of which must be discovered during a discovery run before applications will be automatically created.
- D.Application descriptor files are xml files for which IBM Tivoli Application Dependency and Discovery Manager V7.1 provides a graphical editor for their creation and deployment.

Answer: A

18. What information does IBM Tivoli Application Dependency and Discovery Manager V7.1 obtain from Isorf?

- A.a list of files on UNIX and Linux
- B.a list of open connection ports on Cisco devices
- C.a list of open files and associated processes on Windows 2003
- D.a list of open files and associated processes on UNIX and Linux

Answer: D

19. How is a community string used by IBM Tivoli Application Dependency and Discovery Manager V7.1?

- A.to authenticate Apache servers
- B.as an access credential for SNMP devices
- C.to access only non-Cisco network devices

D.as a base value to encrypt passwords in collation.properties

Answer: B

20. A customer has a firewall and requires an anchor server. They have a few machines available to use as an anchor server.

What are prerequisites for an anchor server?

A.no requirement needed

B.software requirement only

C.hardware requirement only

D.hardware and software requirement

Answer: D

More [000-011 exam](#) information

Related IBM 000-011 Exams

[000-974](#) Power Systems Technical Support for i

[000-223](#) IBM System p Administrator

[000-377](#) Test 000-377, IBM Web Sphere Application Server Network Deployment V7.0, Core Administration

[000-015](#) IBM Maximo Asset Management V7.1 Implementation

[000-990](#) Test 990, IBM Web Sphere Bus Modeler Adv V6.0, Bus Anl+Design

[000-417](#) IBM Web Sphere Information Analyzer v8.0

[000-669](#) SOA Fundamentals (2008)

[000-316](#) IBM Web Sphere Integration Developer V6.1

[000-667](#) IBM Test 667, Architectural Design of SOA Solutions

[000-913](#) informix 4gl development

[000-936](#) IBM Tivoli Access Manager for e-business V6.1 Implementation

[000-431](#) IBM Tivoli Storage Manager V5.5 Administration

[000-084](#) Modular Systems High Performance Servers

[000-994](#) Test994,IBM Web Sphere MQ V6.0,System Administration

[000-908](#) Tivoli Monitoring V6.2 Implementation

[000-111](#) IBM Distributed Systems Storage Solutions Version 7

[000-017](#) Foundations of Tivoli process automation engine V7.1

[000-113](#) IBM Storage Solution Design Entry/Midrange DS Series V1

[000-207](#) High End Taps Solutions Version 5

[000-011](#) IBM Tivoli AP Dependency+Discovery Mgr V7.1 Implementation

Other IBM Exams

[000-702](#) [000-889](#) [LOT-755](#) [000-774](#) [000-M15](#) [000-858](#) [000-972](#) [000-922](#)

[000-287](#) [000-J03](#) [000-897](#) [000-301](#) [000-426](#) [000-021](#) [000-850](#) [000-530](#)

[000-012](#) [LOT-848](#) [000-M62](#) [000-775](#)