

## IBM 000-101 Exam

**000-101: Virtualization Technical Support for AIX and Linux**

**Practice Exam:** 000-101 Exams

**Exam Number/Code:** 000-101

**Exam Name:** Virtualization Technical Support for AIX and Linux

**Questions and Answers:** 96 Q&As

**( IBM certifications III )**



Exam : [000-101](#)

We provide professional IBM 000-101 exam information and free demo for 000-101 certification exam's PDF. It is the best and the latest IBM Practice Exams. Download our 000-101 PDF. We are committed to your ongoing success. Free PassBible 000-101 exam and 000-101 Q&As are constantly being updated and compared to industry standards.

### **PassBible Test tool's advantages:**

#### **High Quality and Value of 000-101 exam**

PassBible IBM IBM certifications III 000-101 Practice Questions is developed and finished by IBM technical team , cover every field of the exam . Besides, we have verified 000-101 answers,almost 100% correct.

#### **100% Guarantee to Pass 000-101 Exam**

We promise to give you FULL REFUND if you fail the IBM certifications III 000-101 certification(IBM Certified Network Associate) with the use of our PassBible testing engine.

#### **000-101 Self Test Mode**

PassBible provides a simulated and interactive environment where you can test your knowledge and skills about 000-101 to ensure enough assurance in real testing center.

#### **Periodic Updates of PassBible 000-101**

Once there is some change on IBM 000-101 exam, we will update it timely, and the product you buy will be updated within 90 days for free.

#### **Professional and Efficient Service**

We offer 7\*24 customer support via diverse channels: LIVE CHAT,MAIL.Expecting the communication with you about IT certification.

This 000-101 pdf demo do not include the questions and answers's picture.

Exam : IBM 000-101

Title : Virtualization Technical Support for AIX and Linux

1. An administrator has a Power 570 in default configuration with a 4 port 1 Gbps Integrated Virtual Ethernet (IVE) adapter. A new application requires that the MCS value for the first port group of the IVE adapter be set to 1. If this change is made, what is the maximum number of logical ports, across both port groups, that the IVE adapter can provide?
- A. 4
  - B. 16
  - C. 20
  - D. 32

Answer: C

2. A customer has a requirement to provide VLAN tagging and a highly available network infrastructure for the logical partitions. A dual VIO server environment with Shared Ethernet Adapters (SEAs) is in place.

How can the customer support these requirements?

- A. Create a SEA failover infrastructure with each having a Virtual Ethernet with a unique PVID mapping to a Virtual Ethernet on the LPAR with unique PVID.
- B. Create a SEA failover infrastructure with each having a Virtual Ethernet with the same PVID mapping to a Virtual Ethernet on the LPAR with the same PVID.
- C. Create a Network Interface Backup (NIB) infrastructure with each SEA having a Virtual Ethernet with the same PVID mapped to a Virtual Ethernet with the corresponding PVID on the LPAR.
- D. Create a Network Interface Backup (NIB) infrastructure with each SEA having a Virtual Ethernet with a different PVID. Map one to a Virtual Ethernet with the corresponding PVID on the client LPAR.

Answer: B

3. A company has a new Power 570. They will install 2 LPARs and 1 VIO server. All networking will be virtualized. Their application requires a large amount of bandwidth, and Link Aggregation on the VIO server will be utilized. They have 4 dual port gigabit Ethernet cards. The network infrastructure team has advised the implementation team that they are able to allocate 8 ports split between two switches, SwitchA and SwitchB.

How can Link Aggregation (LA) be configured for maximum possible bandwidth available for the LPARs?

- A. Configure 2 LA devices, each containing 2 ports from SwitchA and 2 ports from SwitchB, no backup interfaces.
- B. Configure 2 LA devices, each containing any 4 of the 8 available gigabit Ethernet interfaces and 1 backup interface.
- C. Configure 1 LA device with all 8 gigabit Ethernet interfaces split between the two switches, and no backup interface.
- D. Configure 2 LA devices, each containing 4 gigabit Ethernet interfaces connected to the same switch, no backup interfaces.

Answer: D

4. Which of the following statements is true regarding implementing Live Partition Mobility on two existing POWER6 based systems?

- A. The systems must use internal storage for boot purposes.
- B. All virtualized ethernet adapters must be numbered below 10.
- C. The mobile partition's network and disk access must be virtualized.
- D. Each system must be controlled by a different Hardware Management Console (HMC).

Answer: C

5. The system administrator for a company plans to consolidate the workload of several ageing servers onto a new Power server. The administrator's intention is to virtualize all network and disk resources for each LPAR in the new system using VIOS 1.x.

Which of the following is correct regarding MAC addresses and World Wide Port Names (WWPN) in a client partition?

- A. Each client LPAR will have its own MAC address and WWPN.
- B. Each client LPAR will have no unique MAC address or WWPN.
- C. Each client LPAR will have its own MAC address, but no unique WWPN.
- D. Each client LPAR will have no unique MAC address, but will have its own WWPN.

Answer: C

6. Which of the following can be used to re-deploy a system configuration in a disaster recovery scenario?

- A. System plan
- B. System profile
- C. Critical console data
- D. VIO server partition profile

Answer: A

7. A customer has 5 older POWER5 systems and they want to consolidate them onto a POWER6 system. What information is important to analyze when deciding how to design the new machine using the System Planning Tool?

- A. vmstat and iostat data from the older machines
- B. The number of CPUs that were installed in the original machines
- C. Data from Workload Estimator (WLE) and IBM Performance Management (PM)
- D. Performance data that is collected from the new system after it has been put into production

Answer: C

8. Which of the following statements is true regarding virtual Ethernet redundancy?

- A. Specifying an IP Address to ping is optional with Network Interface Backup (NIB) and is optional with Shared Ethernet Adapter (SEA) failover.
- B. Specifying an IP Address to ping is optional with Network Interface Backup (NIB) and is required with Shared Ethernet Adapter (SEA) failover.
- C. Specifying an IP Address to ping is required with Network Interface Backup (NIB) and is required with Shared Ethernet Adapter (SEA) Failover.
- D. Specifying an IP Address to ping is required with Network Interface Backup (NIB) and is optional with Shared Ethernet Adapter (SEA) failover.

Answer: D

9. A customer is interested in server consolidation of their AIX and POWER Linux (SLES 10) environments and sees virtualization as an important component of this.

Which of the following options provides the required virtualization and optimizes the use of the hardware?

- A. A VIO server can provide virtualization capabilities of network and disk for both AIX and Linux clients.
- B. A VIO server partition with the PowerVM Lx86 for x86 installed can provide virtualization capabilities of network and disk for both AIX and Linux clients.
- C. A VIO Server partition can provide virtualization of network and disk for AIX clients. A separate Linux partition can provide virtualization of network and disk to Linux clients.
- D. A VIO Server can provide virtualization of network and disk for AIX clients. A separate Linux partition running PowerVM Lx86 for x86 can provide virtualization capabilities of network and disk to Linux clients.

Answer: A

10. Which functionality would a customer use to share available CPU resources between AIX and Linux partitions on a Power system?

- A. Dynamic LPAR
- B. Micro Partitions
- C. Entitled capacity
- D. Multiple Shared Processor Pools

Answer: B

More [000-101 exam](#) information

### **Related IBM 000-101 Exams**

[000-101](#) *Virtualization Technical Support for AIX and Linux*

[000-100](#) *ENTERPRISE TECHNICAL SUPPORT FOR AIX AND LINUX*

[000-330](#) *Power Systems Technical Support for AIX and Linux*

[000-418](#) *IBM Websphere Datastage V.8.0*

[000-962](#) *Storage Sales for HighEnd Tape Version 1*

[COG-480](#) *IBM Cognos 8 Planning Professional*

[000-136](#) *Rational Application Developer v7*

000-960 IBM Storage Sales Exam

000-210 IBM Storage Networking Solutions,Version 4

000-433 IBM Tivoli Storage Manager V5.5 Implementation

000-432 IBM Tivoli Storage Manager V5.5 Operator

COG-300 IBM Cognos TM1 Analyst

000-314 IBM WebSphere Message Broker V6.1. System Administration

000-019 IBM Tivoli Network Manager IP Edition V3.8 Implementation

000-R18 IBM SurePOS ACE V5 Technical Professional

000-233 aix installation,backup and system rec0ver

000-071 ib m eserver x series technical principle v5

000-209 SVC/Virtullization V.1

000-M22 IBM Rational Application Developer Tech Sales Mastery V1

000-M15 IBM Rational Quality Mgt Technical Sales Mastery Test v1

### **Other IBM Exams**

000-995      000-876      000-884      000-134      000-702      000-S01      000-M50      000-638

000-017      000-M12      000-288      000-991      000-639      000-221      000-432      000-974

000-076      000-870      000-427      000-937