

IBM 000-142 Exam

000-142: Test142.XML 1.1 and Related Technologies

Practice Exam: 000-142 Exams

Exam Number/Code: 000-142

Exam Name: Test142.XML 1.1 and Related Technologies

Questions and Answers: 98 Q&As

(IBM certifications II)



Exam : [000-142](#)

We provide professional IBM 000-142 exam information and free demo for 000-142 certification exam's PDF. It is the best and the latest IBM Practice Exams. Download our 000-142 PDF. We are committed to your ongoing success. Free PassBible 000-142 exam and 000-142 Q&As are constantly being updated and compared to industry standards.

PassBible Test tool's advantages:

High Quality and Value of 000-142 exam

PassBible IBM IBM certifications II 000-142 Practice Questions is developed and finished by IBM technical team , cover every field of the exam . Besides, we have verified 000-142 answers,almost 100% correct.

100% Guarantee to Pass 000-142 Exam

We promise to give you FULL REFUND if you fail the IBM certifications II 000-142 certification(IBM Certified Network Associate) with the use of our PassBible testing engine.

000-142 Self Test Mode

PassBible provides a simulated and interactive environment where you can test your knowledge and skills about 000-142 to ensure enough assurance in real testing center.

Periodic Updates of PassBible 000-142

Once there is some change on IBM 000-142 exam, we will update it timely, and the product you buy will be updated within 90 days for free.

Professional and Efficient Service

We offer 7*24 customer support via diverse channels: LIVE CHAT,MAIL.Expecting the communication with you about IT certification.

This 000-142 pdf demo do not include the questions and answers's picture.

Exam : IBM 000-142

Title : Test142.XML 1.1 and Related Technologies

1. A developer wishes to make an XSLT template more robust by checking a parameter passed to it for errors and boundary conditions. The template accepts a parameter of type number. What condition will NOT have to be checked?

- A. number greater than allowed range
- B. value of 0
- C. type of the parameter value
- D. Integer numbers

Answer: C

2. In a museum, XML data stored on powerful servers is served to customers through Web browsers running on network-connected computers. The performance of those computers is limited. Which of the following approaches will best suit the XML transformation?

- A. Pass both the XML data and stylesheets to web browsers.
- B. Output XHTML via a server-side XSL transformation.
- C. Use only a subset of the XHTML and use Format Objects to apply style.
- D. Transform the XML data into the open format document and display.

Answer: B

3. Given the following DTD line, which of the following XML documents is valid?

<!ATTLIST employee empNum ID #REQUIRED>

- A. <employee empNum="abcde"/>
- B. <employee empNum="12345"/>
- C. <employee empNum=""/>
- D. <employee empNum="abcde"/> ... <employee empNum="abcde"/>

Answer: A

4. What is the correct value for the match attribute of the xsl:template below to select all elements within an XML document?

```
<xsl:template match="">
<xsl:value-of select="name()"/>
<xsl:value-of select="@id"/>
<xsl:apply-templates/>
</xsl:template>
```

- A. node()
- B. */*
- C. //
- D. /

Answer: A

5. Calculating sub-totals from an XML document using XSL transformation requires special considerations. Which of the following options is the best solution to solve this problem?

- A. Create a fragment variable containing the values to total, and then use the node-set() XSLT extension and the XPath "sum()" function to calculate the value.
- B. Create a special XSLT variable that contains the results of an XPath query that performs a "sum()" of the values to be totaled.
- C. Use XSLT recursion to define a variable value that calculates the "value-of" the elements to be sub-totaled.
- D. Use XSLTC to precompile a custom Java translet that will extract the values to be totaled and returns the sum of those values. This return value is then used in an XSL variable for output.

Answer: A

6. Which two of the following may NOT be nested within a CDATA section?

- A. HTML documents
- B. Javascript source
- C. Other CDATA sections
- D. The XML escape characters (<, >, &, ', and ")
- E. XSLT that needs to be processed

Answer: CE

7. Consider the following XML document:

```
<?xml version="1.0" encoding="UTF-8"?>
<Books>
```

```

<Book ID="001">
<Title>Finding New World</Title>
<Author>Jone Smith</Author>
</Book>
<Book ID="080">
<Title>How to Programming</Title>
<Author>Tom Alston</Author>
</Book>
</Books>

```

An XML developer wants to generate a HTML document that lists the ID, title and author of a book in a HTML table. Which of the following stylesheets can achieve the desired result?

A. `<?xml version="1.0" encoding="ISO-8859-1" ?>`

```

<xsl:stylesheet version="1.0" xmlns:xsl="http://www.w3.org/1999/XSL/Transform">
<xsl:template match="Books">
<html>
<body>
<table width="100%" border="1">
<xsl:for-each select="/">
<tr>
<td><xsl:value-of select="@ID"/></td>
<td><xsl:value-of select="Title" /></td>
<td><xsl:value-of select="Author" /></td>
</tr>
</xsl:for-each>
</table>
</body>
</html>
</xsl:template>
</xsl:stylesheet>

```

B. `<?xml version="1.0" encoding="ISO-8859-1" ?>`

```

<xsl:stylesheet version="1.0" xmlns:xsl="http://www.w3.org/1999/XSL/Transform">
<xsl:template match="/">
<html>
<body>
<table width="100%" border="1">
<xsl:for-each select="Books/Book">
<tr>
<td><xsl:value-of select="@ID"/></td>
<td><xsl:value-of select="Title" /></td>
<td><xsl:value-of select="Author" /></td>
</tr>
</xsl:for-each>
</table>
</body>
</html>
</xsl:template>
</xsl:stylesheet>

```

C. `<?xml version="1.0" encoding="ISO-8859-1" ?>`

```

<xsl:stylesheet version="1.0" xmlns:xsl="http://www.w3.org/1999/XSL/Transform">
<xsl:template match="/">
<html>
<body>
<table width="100%" border="1">

```

```

<xsl:for-each select="Books/Book">
  <tr>
  <td><xsl:value-of select="ID"/></td>
  <td><xsl:value-of select="." /></td>
  </tr>
</xsl:for-each>
</table>
</body>
</html>
</xsl:template>
</xsl:stylesheet>

```

D. <?xml version="1.0" encoding="ISO-8859-1" ?>

```

<xsl:stylesheet version="1.0" xmlns:xsl="http://www.w3.org/1999/XSL/Transform">
<xsl:template match="Books">
<html>
<body>
<table width="100%" border="1">
<xsl:for-each select="Book">
<tr>
<td><xsl:value-of select="ID"/></td>
<td><xsl:value-of select="Title" /></td>
<td><xsl:value-of select="Author" /></td>
</tr>
</xsl:for-each>
</table>
</body>
</html>
</xsl:template>
</xsl:stylesheet>

```

Answer: B

8. Which of the following answers best defines the XForms design goal?

- A. Utilizes external DTD for field types and value limits.
- B. Encapsulates all JavaScript code within data elements.
- C. Defines complex input controls based on assigned Schema.
- D. Separates the forms content from presentation.

Answer: D

9. Analyze the following XML and DTD fragments that implement ID, IDREF and IDREFS used to link manager and subordinate relationships. Where is the error in the implementation of this logic?

employees.dtd:

```

<!ATTLIST employee empid ID #REQUIRED>
<!ATTLIST employee mgrid ID #IMPLIED>
<!ATTLIST employee mgr IDREF #IMPLIED>
<!ATTLIST employee subs IDREFS #IMPLIED>

```

employees.xml:

```

<employees>
<employee empid="e1" mgrid="m1" subs="e2"><name>Bob Smith</name></employee>
<employee empid="e2" mgrid="m2" mgr="m1" subs="e3 e4"><name>Carol Jones</name></employee>
<employee empid="e3" mgr="m2"><name>Keith Martin</name></employee>
<employee empid="e4" mgr="m2"><name>Monica Williams</name></employee>
</employees>

```

- A. The subs IDREFS is formatted improperly for the second employee record.

- B. The mgrid must be defined as "#REQUIRED" in the DTD.
- C. The empid and mgrid attributes conflict as an element may only have a single ID attribute.
- D. First two records are invalid as each employee record may have either empid or mgrid attribute, but not both.

Answer: C

10. Which of the following is NOT included within a generated JAXB 2.0 package?

- A. A name, which may be derived directly from the XML namespace URI.
- B. A set of Java element interfaces representing element declarations occurring with the DTD.
- C. An ObjectFactory class containing an instance factory method for each Java content and element interface.
- D. A Javadoc for the package.

Answer: B

11. An online bookstore offers services that enables customers to view the online eBooks with a variety of Web browsers and order high quality hard copies on demand. If the bookstore stores all the book contents with XML format, which of the following rendering approaches is the most suitable?

- A. When browsers request and customers order hard copies, transform the XML data with XSL-FO and then convert the file into PDF for viewing and printing.
- B. When browsers request and customers order hard copies, render the XML data with CSS and then use the file for viewing and printing.
- C. When browsers request, render the XML data with CSS. When customers order hard copies, transform the XML data with XSL-FO and then convert the file into PDF for printing.
- D. When browsers request, render the XML data with XSL-FO and then convert the file into PDF for viewing. When customers order hard copies, transform the XML data with CSS and then use the file for printing.

Answer: C

12. An Intranet Web application provides news for thousands of users inside one company. The application gets XML data from a database and then transforms the data into HTML with server-side XSLT. Currently the web application performs poorly. Which of the following actions should the application developer take to address the problem?

- A. Update the database to a higher version.
- B. Use well formed XHTML tags in the application.
- C. Supply the XML data and the stylesheet to Web browsers.
- D. Use XSL-FO to make the transformation.

Answer: C

13. What will the following XSLT snippet return, if the value of parameter i is "redivider"?

```
<xsl:template name="Do">
<xsl:param name="i"/>
<xsl:variable name="j" select="string-length($i)"/>
<xsl:choose>
<xsl:when test=" $j < 2 ">
<xsl:value-of select="$i"/>
</xsl:when>
<xsl:otherwise>
<xsl:variable name="k" select="floor($j div 2)"/>
<xsl:call-template name="Do">
<xsl:with-param name="i" select="substring($i, 1, $k)"/>
</xsl:call-template>
<xsl:call-template name="Do">
<xsl:with-param name="i" select="substring($i, $k+1, $k+1)"/>
</xsl:call-template>
</xsl:otherwise>
</xsl:choose>
</xsl:template>
```

- A. rreeddiwiiddeerr
- B. rediv
- C. redivider
- D. rdvdr

Answer: C

14. What is the result of the following XSLT template if the value of k is the string 'foo'?

```
<xsl:template name="Do">
<xsl:param name="j" select="3"/>
<xsl:param name="k"/>
<xsl:if test="$j">
<xsl:value-of select="$k"/>
<xsl:call-template name="Do">
<xsl:with-param name="j" select="$j - 1"/>
<xsl:with-param name="k" select="$k"/>
</xsl:call-template>
</xsl:if>
</xsl:template>
```

- A. 'foo'
- B. 'foo' (repeated until stack overflow)
- C. 'foofoofoo'
- D. 'foo foo foo'

Answer: C

15. XML data is stored and retrieved within a relational database for a data-centric application by means of mapping XML schema elements to database tables. There are concerns that the queries and updates to this database are slow due to the number of joins required in the SQL. What is the best option for improving the storage and retrieval of this XML data?

- A. Transform XML documents into canonical form before persisting.
- B. Modify the current XML schema by converting elements to attributes where possible and re-map to tables in order to reduce the number of tables and therefore the number of joins required.
- C. Store the XML data as CLOBs without decomposing them into relational tables and provide an 'id' based lookup.
- D. Modify the current XML schema by merging all of the XML documents into a main XML document and query using XPath.

Answer: BD

16. An application needs to process XML documents containing data retrieved from a legacy system. Some of the documents use character sets which are not supported by the XML parser. Which of the following is the best solution to address this problem?

- A. Implement a custom parser to handle the legacy character sets.
- B. Implement a pre-processor to convert documents with unsupported characters sets to UTF-8.
- C. Define two XML Schema documents for each of the character sets.
- D. Add the definitions of the legacy character sets to the parser's configuration file.

Answer: B

17. Which XPath axis below may be described as "all nodes that contain the context node, but not the context node itself?"

- A. ancestor::
- B. ancestor-or-self::
- C. namespace::
- D. preceding::

Answer: A

18. The link element in the following XML fragment is the context node. Its target attribute is stored within the `xsl:variable linkTarget`. What XPath expression will find the page element whose id attribute value is described by the value of `linkTarget`?

```
<site>
<page id="000"/>
<page id="001">
<page id="001_000">
<link target="003_000"/>
</page>
<page id="001_001"/>
</page>
<page id="002"/>
<page id="003">
<page id="003_000"/>
<page id="003_001"/>
</page>
</site>
```

- A. `../page[@id = $linkTarget]`
- B. `../page[@id = '003']/page[@id = linkTarget]`
- C. `//page[@id = $linkTarget]`
- D. `ancestor::page/ancestor::page/child::page/child::page[id = $linkTarget]`

Answer: C

19. Which of the following statements regarding CSS transformation of XML is valid?

- A. It can be used to render XML into PDF.
- B. It can render XML into a format appropriate for printing.
- C. It may only be applied to well formed XHTML documents.
- D. It can merge multiple XML documents into a single XHTML for browser rendering.

Answer: B

20. Which of the following is a trait that distinguishes XSLT 2.0 from XSLT 1.0?

- A. `xsl:for-each` in XSLT 2.0 supports arbitrary sequences in addition to node sets.
- B. `xsl:value-of` in XSLT 2.0 includes an attribute called "delimiter" that allows delimited sequences.
- C. `xsl:variable` in XSLT 2.0 includes an attribute called "type" to indicate type.
- D. `xsl:with-param` in XSLT 2.0 does not throw an error if that parameter is not defined in the called template.

Answer: A

More [000-142 exam](#) information

Related IBM 000-142 Exams

[000-331](#) Power Systems Sales for AIX and Linux

[000-253](#) Test253. IBM Web S.App.Svr.Network Development V6.1.Core Admn

[000-903](#) IBM Tivoli Netcool/xSM

[000-926](#) IBM Certified Deployment Professional-Maximo V6 ITSM

[000-351](#) ibm eserver i5 iseries single system adminsitration v5r3

[000-647](#) Rational Performance Tester

[000-833](#) Object Oriented Analysis and Design-Part1(Analysis)

[000-443](#) db2 content manager v8.3

[000-807](#) Test 807, Web Services Dev for IBM Web Sphere App Server V6.1

[000-806](#) IBM Test 806, IBM Web Sphere Ap Svr Ntwk Deploy V6.1 Adv Admn

000-631 *rational-clearcase for unix*

000-918 *System Administration for IBM Informix Dynamic Server V11*

000-649 *Rarional Software Architect*

000-284 *Test 284, IBM Wbs. DataPower SOA Appliances, Fimware v3.6.0*

000-798 *ib m tivoli monitoring for transaction perf v5.2 implement*

000-971 *System i Administrator V5.07.11*

000-664 *Test664.SOA Fundamentals*

000-637 *rational-requirements management with use cases-part2*

000-484 *enterprise connectivity with j2ee v1.3*

000-635 *rational-fundamentals of rational rose*

Other IBM Exams

000-445 000-904 000-527 LOT-712 000-223 000-939 000-876 000-714

000-994 000-922 000-428 000-M11 000-892 000-996 000-441 000-731

000-233 000-M32 000-871 000-965