

Oracle 1z0-007 Exam

1z0-007: Introduction to Oracle9i: SQL

Practice Exam: 1z0-007 Exams

Exam Number/Code: 1z0-007

Exam Name: Introduction to Oracle9i: SQL

Questions and Answers: 129 Q&As

(9i DBA)



Exam : [1z0-007](#)

We provide professional Oracle 1z0-007 exam information and free demo for 1z0-007 certification exam's PDF. It is the best and the latest Oracle Practice Exams. Download our 1z0-007 PDF. We are committed to your ongoing success. Free PassBible 1z0-007 exam and 1z0-007 Q&As are constantly being updated and compared to industry standards.

PassBible Test tool's advantages:

High Quality and Value of 1z0-007 exam

PassBible Oracle 9i DBA 1z0-007 Practice Questions is developed and finished by Oracle technical team , cover every field of the exam . Besides, we have verified 1z0-007 answers,almost 100% correct.

100% Guarantee to Pass 1z0-007 Exam

We promise to give you FULL REFUND if you fail the 9i DBA 1z0-007 certification(Oracle Certified Network Associate) with the use of our PassBible testing engine.

1z0-007 Self Test Mode

PassBible provides a simulated and interactive environment where you can test your knowledge and skills about 1z0-007 to ensure enough assurance in real testing center.

Periodic Updates of PassBible 1z0-007

Once there is some change on Oracle 1z0-007 exam, we will update it timely, and the product you buy will be updated within 90 days for free.

Professional and Efficient Service

We offer 7*24 customer support via diverse channels: LIVE CHAT,MAIL.Expecting the communication with you about IT certification.

This 1z0-007 pdf demo do not include the questions and answers's picture.

Exam : Oracle 1Z0-007

Title : Introduction to Oracle9i: SQL

1. Which three statements correctly describe the functions and use of constraints? (Choose three.)

- A.Constraints provide data independence.
- B.Constraints make complex queries easy.
- C.Constraints enforce rules at the view level.
- D.Constraints enforce rules at the table level.
- E.Constraints prevent the deletion of a table if there are dependencies.
- F.Constraints prevent the deletion of an index if there are dependencies.

Answer: CDE

2. Which two statements are true about constraints? (Choose two.)

- A.The UNIQUE constraint does not permit a null value for the column.
- B.A UNIQUE index gets created for columns with PRIMARY KEY and UNIQUE constraints.
- C.The PRIMARY KEY and FOREIGN KEY constraints create a UNIQUE index.
- D.The NOT NULL constraint ensures that null values are not permitted for the column.

Answer: BD

3. Which SQL statement generates the alias Annual Salary for the calculated column SALARY*12?

- A.SELECT ename, salary*12 'Annual Salary'
FROM employees;
- B.SELECT ename, salary*12 "Annual Salary"
FROM employees;
- C.SELECT ename, salary*12 AS Annual Salary
FROM employees;
- D.SELECT ename, salary*12 AS INITCAP("ANNUAL SALARY")
FROM employees

Answer: B

4. What are two reasons to create synonyms? (Choose two.)

- A.You have too many tables.
- B>Your tables are too long.
- C>Your tables have difficult names.
- D.You want to work on your own tables.
- E.You want to use another schema's tables.
- F.You have too many columns in your tables.

Answer: CE

5. Evaluate this SQL statement:

```
SELECT e.EMPLOYEE_ID,e.LAST_NAME,e.DEPARTMENT_ID, d.DEPARTMENT_NAME  
FROM EMPLOYEES e, DEPARTMENTS d  
WHERE e.DEPARTMENT_ID = d.DEPARTMENT_ID;
```

In the statement, which capabilities of a SELECT statement are performed?

- A.selection, projection, join
- B.difference, projection, join
- C.selection, intersection, join
- D.intersection, projection, join
- E.difference, projection, product

Answer: A

6. A SELECT statement can be used to perform these three functions:

1. Choose rows from a table.
2. Choose columns from a table.
3. Bring together data that is stored in different tables by creating a link between them.

Which set of keywords describes these capabilities?

- A.difference, projection, join
- B.selection, projection, join
- C.selection, intersection, join
- D.intersection, projection, join
- E.difference, projection, product

Answer: B

7. Which are iSQL*Plus commands? (Choose all that apply.)

- A.INSERT
- B.UPDATE
- C.SELECT
- D.DESCRIBE
- E.DELETE
- F.RENAME

Answer: D

8. What does the FORCE option for creating a view do?

- A.creates a view with constraints
- B.creates a view even if the underlying parent table has constraints
- C.creates a view in another schema even if you don't have privileges
- D.creates a view regardless of whether or not the base tables exist

Answer: D

9. Which is an iSQL*Plus command?

- A.INSERT
- B.UPDATE
- C.SELECT
- D.DESCRIBE
- E.DELETE
- F.RENAME

Answer: D

10. Evaluate this SQL statement:

```
SELECT ename, sal, 12*sal+100
FROM emp;
```

The SAL column stores the monthly salary of the employee. Which change must be made to the above syntax to calculate the annual compensation as "monthly salary plus a monthly bonus of \$100, multiplied by 12"?

A.No change is required to achieve the desired results.

B.SELECT ename, sal, 12*(sal+100)

FROM emp;

C.SELECT ename, sal, (12*sal)+100

FROM emp;

D.SELECT ename, sal+100,*12

FROM emp;

Answer: B

11. The CUSTOMERS table has these columns:

```
CUSTOMER_ID NUMBER(4) NOT NULL
CUSTOMER_NAME VARCHAR2(100) NOT NULL
CUSTOMER_ADDRESS VARCHAR2(150)
CUSTOMER_PHONE VARCHAR2(20)
```

You need to produce output that states "Dear Customer customer_name, ".

The customer_name data values come from the CUSTOMER_NAME column in the CUSTOMERS table. Which statement produces this output?

A.SELECT dear customer, customer_name,

B.SELECT "Dear Customer", customer_name || ','

FROM customers;

C.SELECT 'Dear Customer ' || customer_name ','

FROM customers;

D.SELECT 'Dear Customer ' || customer_name || ','

FROM customers;

```
E.SELECT "Dear Customer " || customer_name || ", "  
FROM customers;  
F.SELECT 'Dear Customer ' || customer_name || ', ' ||  
FROM customers;
```

Answer: D

12. Which view should a user query to display the columns associated with the constraints on a table owned by the user?

- A.USER_CONSTRAINTS
- B.USER_OBJECTS
- C.ALL_CONSTRAINTS
- D.USER_CONS_COLUMNS
- E.USER_COLUMNS

Answer: D

13. In which three cases would you use the USING clause? (Choose three.)

- A.You want to create a nonequijoin.
- B.The tables to be joined have multiple NULL columns.
- C.The tables to be joined have columns of the same name and different data types.
- D.The tables to be joined have columns with the same name and compatible data types.
- E.You want to use a NATURAL join, but you want to restrict the number of columns in the join condition.

Answer: CDE

14. You need to design a student registration database that contains several tables storing academic information. The STUDENTS table stores information about a student. The STUDENT_GRADES table stores information about the student's grades. Both of the tables have a column named STUDENT_ID. The STUDENT_ID column in the STUDENTS table is a primary key.

You need to create a foreign key on the STUDENT_ID column of the STUDENT_GRADES table that points to the STUDENT_ID column of the STUDENTS table. Which statement creates the foreign key?

- A.CREATE TABLE student_grades
(student_id NUMBER(12),
semester_end DATE,
gpa NUMBER(4,3),
CONSTRAINT student_id_fk REFERENCES (student_id)
FOREIGN KEY students(student_id));
- B.CREATE TABLE student_grades
(student_id NUMBER(12),
semester_end DATE,
gpa NUMBER(4,3),
student_id_fk FOREIGN KEY (student_id)
REFERENCES students(student_id));
- C.CREATE TABLE student_grades
(student_id NUMBER(12),
semester_end DATE,
gpa NUMBER(4,3),
CONSTRAINT FOREIGN KEY (student_id)
REFERENCES students(student_id));
- D.CREATE TABLE student_grades
(student_id NUMBER(12),
semester_end DATE,
gpa NUMBER(4,3),
CONSTRAINT student_id_fk FOREIGN KEY (student_id)
REFERENCES students(student_id));

Answer: D

15. Click the Exhibit button and examine the data in the EMPLOYEES table.

Which three subqueries work? (Choose three.)

A.SELECT *

FROM employees

where salary > (SELECT MIN(salary)

FROM employees

GROUP BY department_id);

B.SELECT *

FROM employees

WHERE salary = (SELECT AVG(salary)

FROM employees

GROUP BY department_id);

C.SELECT distinct department_id

FROM employees

WHERE salary > ANY (SELECT AVG(salary)

FROM employees

GROUP BY department_id);

D.SELECT department_id

FROM employees

WHERE salary > ALL (SELECT AVG(salary)

FROM employees

GROUP BY department_id);

E.SELECT last_name

FROM employees

WHERE salary > ANY (SELECT MAX(salary)

FROM employees

GROUP BY department_id);

F.SELECT department_id

FROM employees

WHERE salary > ALL (SELECT AVG(salary)

FROM employees

GROUP BY AVG(SALARY));

Answer: CDE

16. Evaluate this SQL statement:

```
SELECT e.employee_id, (.15* e.salary) + (.5 * e.commission_pct)
```

```
+ (s.sales_amount * (.35 * e.bonus)) AS CALC_VALUE
```

```
FROM employees e, sales s
```

```
WHERE e.employee_id = s.emp_id;
```

What will happen if you remove all the parentheses from the calculation?

A.The value displayed in the CALC_VALUE column will be lower.

B.The value displayed in the CALC_VALUE column will be higher.

C.There will be no difference in the value displayed in the CALC_VALUE column.

D.An error will be reported.

Answer: C

17. Which two are attributes of iSQL*Plus? (Choose two.)

A.iSQL*Plus commands cannot be abbreviated.

B.iSQL*Plus commands are accessed from a browser.

C.iSQL*Plus commands are used to manipulate data in tables.

D.iSQL*Plus commands manipulate table definitions in the database.

E.iSQL*Plus is the Oracle proprietary interface for executing SQL statements.

Answer: BE

18. The STUDENT_GRADES table has these columns:

STUDENT_ID NUMBER(12)

SEMESTER_END DATE

GPA NUMBER(4,3)

The registrar requested a report listing the students' grade point averages (GPA) sorted from highest grade point average to lowest.

Which statement produces a report that displays the student ID and GPA in the sorted order requested by the registrar?

A.SELECT student_id, gpa

FROM student_grades

ORDER BY gpa ASC;

B.SELECT student_id, gpa

FROM student_grades

SORT ORDER BY gpa ASC;

C.SELECT student_id, gpa

FROM student_grades

SORT ORDER BY gpa;

D.SELECT student_id, gpa

FROM student_grades

ORDER BY gpa;

E.SELECT student_id, gpa

FROM student_grades

SORT ORDER BY gpa DESC;

F.SELECT student_id, gpa

FROM student_grades

ORDER BY gpa DESC;

Answer: F

19. Which SQL statement defines a FOREIGN KEY constraint on the DEPTNO column of the EMP table?

A.CREATE TABLE EMP

(empno NUMBER(4),

ename VARCHAR2(35),

deptno NUMBER(7,2) NOT NULL,

CONSTRAINT emp_deptno_fk FOREIGN KEY deptno

REFERENCES dept (deptno));

B.CREATE TABLE EMP

(empno NUMBER(4),

ename VARCHAR2(35),

deptno NUMBER(7,2)

CONSTRAINT emp_deptno_fk REFERENCES dept (deptno));

C.CREATE TABLE EMP

(empno NUMBER(4),

ename VARCHAR2(35),

deptno NUMBER(7,2) NOT NULL,

CONSTRAINT emp_deptno_fk REFERENCES dept (deptno)

FOREIGN KEY (deptno));

D.CREATE TABLE EMP

(empno NUMBER(4),

ename VARCHAR2(35),

deptno NUMBER(7,2) FOREIGN KEY

CONSTRAINT emp_deptno_fk REFERENCES dept (deptno));

Answer: B

20. The CUSTOMERS table has these columns:

CUSTOMER_ID NUMBER(4) NOT NULL

CUSTOMER_NAME VARCHAR2(100) NOT NULL

STREET_ADDRESS VARCHAR2(150)

CITY_ADDRESS VARCHAR2(50)

STATE_ADDRESS VARCHAR2(50)

PROVINCE_ADDRESS VARCHAR2(50)

COUNTRY_ADDRESS VARCHAR2(50)

POSTAL_CODE VARCHAR2(12)

CUSTOMER_PHONE VARCHAR2(20)

The CUSTOMER_ID column is the primary key for the table.

You need to determine how dispersed your customer base is. Which expression finds the number of different countries represented in the CUSTOMERS table?

A.COUNT(UPPER(country_address))

B.COUNT(DIFF(UPPER(country_address)))

C.COUNT(UNIQUE(UPPER(country_address)))

D.COUNT DISTINCT UPPER(country_address)

E.COUNT(DISTINCT (UPPER(country_address)))

Answer: E

More [1z0-007 exam](#) information

Related Oracle 1z0-007 Exams

[1z0-007](#) *Introduction to Oracle9i: SQL*

[1z0-032](#) *oracle9i database:fundamentals ii*

[1z0-031](#) *oracle9i database:fundamentals i*

[1z0-033](#) *Oracle9i Database:Performance Tuning*

[1z0-030](#) *oracle9i database:new features for administrators*

[1z0-035](#) *oracle9i dba new features for oracle7.3 and oracle9 ocps*

Other Oracle Exams

[1z1-052](#) [1z0-048](#) [1z0-147](#) [1Z0-615](#) [1z0-222](#) [1z0-010](#) [1z0-042](#) [1z0-600](#)

[1z0-141](#) [1z0-223](#) [1z0-264](#) [1Z0-043](#) [1z0-301](#) [1z0-040](#) [1z0-610](#) [1z0-620](#)

[1z1-312](#) [1z0-095](#) [1z0-031](#) [1Z0-041](#)