

## SAS Institute A00-211 Exam

**A00-211: SAS Base Programming for SAS 9**

**Practice Exam:** A00-211 Exams

**Exam Number/Code:** A00-211

**Exam Name:** SAS Base Programming for SAS 9

**Questions and Answers:** 140 Q&As

**( SAS Institute Systems Certification )**



Exam : [A00-211](#)

We provide professional SAS Institute A00-211 exam information and free demo for A00-211 certification exam's PDF. It is the best and the latest SAS Institute Practice Exams. Download our A00-211 PDF. We are committed to your ongoing success. Free PassBible A00-211 exam and A00-211 Q&As are constantly being updated and compared to industry standards.

### **PassBible Test tool's advantages:**

#### **High Quality and Value of A00-211 exam**

PassBible SAS Institute SAS Institute Systems Certification A00-211 Practice Questions is developed and finished by SAS Institute technical team , cover every field of the exam . Besides, we have verified A00-211 answers,almost 100% correct.

#### **100% Guarantee to Pass A00-211 Exam**

We promise to give you FULL REFUND if you fail the SAS Institute Systems Certification A00-211 certification(SAS Institute Certified Network Associate) with the use of our PassBible testing engine.

#### **A00-211 Self Test Mode**

PassBible provides a simulated and interactive environment where you can test your knowledge and skills about A00-211 to ensure enough assurance in real testing center.

#### **Periodic Updates of PassBible A00-211**

Once there is some change on SAS Institute A00-211 exam, we will update it timely, and the product you buy will be updated within 90 days for free.

#### **Professional and Efficient Service**

We offer 7\*24 customer support via diverse channels: LIVE CHAT,MAIL.Expecting the communication with you about IT certification.

This A00-211 pdf demo do not include the questions and answers's picture.

Exam : SAS A00-211

Title : SAS Base Programming for SAS (r) 9

1. Given the SAS data sets EMPLOYEE and SALARY:

EMPLOYEE  
SALARY  
name a gename salary  
Bruce 30 Bruce 40000 Dan 35 Bruce 35000 Dan 37000 Dan.

The following SAS program is submitted:

```
data work.empsalary;
```

```
merge work.employee (in = inemp)
```

```
work.salary (in = insal);
```

```
by name;
```

if inemp and insal;

run;

How many observations will the data set WORK.EMPSALARY contain?

A.2

B.4

C.5

D.6

Answer: B

2. Given the SAS data set SASUSER.HOUSES:

The following SAS program is submitted:

The following output is desired:

style price

CONDO \$79,700

TWOSTORY \$62,550

Which DEFINE statement completes the program and produces the desired output?

A.define style / width = 9;

B.define style / order width = 9;

C.define style / group width = 9;

D.define style / display width = 9;

Answer: C

3. The following SAS program is submitted:

```
data numrecords;
```

```
infile 'file specification';
```

```
input @1 patient $15. relative $ 16-26 @;
```

```
if relative = 'children' then
```

```
input @54 diagnosis $15. @;
```

```
else if relative = 'parents' then
```

```
input @28 doctor $15. clinic $ 44-53
```

```
@54 diagnosis $15. @;
```

```
input age;
```

```
run;
```

How many raw data records are read during each iteration of the DATA step execution?

A.1

B.2

C.3

D.4

Answer: A

4. What is the purpose of the END= option on the INFILE statement?

A.It identifies the last record read in a raw data file.

B.It identifies the last DATA step statement to be executed.

C.It identifies the length of the record that is being processed.

D.It moves the end of record marker to the length specified by the logical record length.

Answer: A

5. Given the SAS data sets EMPLOYEE and SALARY:

```
EMPLOYEE$SALARYFname agename salaryBruce 30Bruce 25000Dan 40Bruce 35000Dan 25000
```

The following SAS program is submitted:

```
data work.empdata;
```

```
by fname;
```

```
totsal + salary;
```

run;

Which MERGE statement correctly completes the program?

A.merge employee

salary rename = fname = name;

B.merge employee

salary rename(name = fname);

C.merge employee

salary (rename = (fname = name));

D.merge employee

salary (rename = (name = fname));

Answer: D

6. Given the SAS data set ONE:

ONE

XY Z

1 A 27

1A 33

1 B45

2 A 52

2 B 69

3 B 70

4 A 82

4 C 91

The following SAS program is submitted:

```
data two;
```

```
set one;
```

```
by x y;
```

```
if first.y;
```

```
run;
```

```
proc print data = two noobs;
```

```
run;
```

Which report is produced?

A.X Y Z

1 A 27

1 B 45

2 A 52

2 B 69

3 B 70

4 A 82

4 C 91

B.X Y Z

1 A 33

1 B 45

2 A 52

2 B 69

3 B 70

4 A 82

4 C 91

C.X Y Z

1 B 45

2 A 52

2 B 69

3 B 70

4 A 82

4 C 91

D.The PRINT procedure fails because the data set TWO is not created in the DATA step.

Answer: A

7. Given the raw data file FURNITURE:

----|----10---|----20---|----30

chair,,table

chair,couch,table

The following SAS program is submitted:

```
data stock;
```

```
infile 'furniture' dsd;
```

```
input item1 $ item2 $ item3 $;
```

```
run;
```

What is the value of the variable ITEM2 in the first observation of the output data set?

A.table

B., (comma)

C.. (missing numeric value)

D.' ' (missing character value)

Answer: D

8. Given the contents of the raw data file PRODUCT:

----|----10---|----20---|----30

24613 \$25.31

The following SAS program is submitted:

```
data inventory; infile 'product'; input idnum 5. @10 price; run;
```

What is the value of the PRICE variable?

A.25.31

B.\$25.31

C.. (missing numeric value)

D.No value is stored.

Answer: C

9. Given the contents of the raw data file TYPECOLOR:

----|----10---|----20---|----30

daisyyellow

The following SAS program is submitted:

```
data flowers; infile 'typecolor'; input type $ 1-5 +1 color $;run;
```

What are the values of the variables TYPE and COLOR?

A.type color

daisyyellow

B.type color

daisyyellow

C.type color

daisyyellow" " (missing character value)

D.No values are stored for the TYPE and COLOR variables.

Answer: B

10. The following SAS program is submitted and reads 100 records from a raw data file:

```
data work.total;
```

```
infile 'file specification' end = eof;
```

```
input name $ salary;
```

```
totsal + salary;
```

run;

Which IF statement writes the final observation to the output data set?

- A.if eof = 0;
- B.if last = 0;
- C.if end = 1;
- D.if eof = 1;

Answer: D

11. The following SAS program is submitted:

```
data work.flights;
destination = 'CPH';
select(destination);
when('LHR') city = 'London';
when('FRA') city = 'Frankfurt';
otherwise;
end;
run;
```

What are the length and value of the CITY variable?

- A.length of 6, value of CPH
- B.length of 9, value of CPH
- C.length of 6, value of '' (missing character value)
- D.length of 9, value of '' (missing character value)

Answer: C

12. Given the raw data file YEARAMT:

```
----|----10---|----20---|----30
```

```
1901 2
1905 1
1910 6
1925 .
1941 1
```

The following SAS program is submitted:

```
data coins;
infile 'yearamt';
input year quantity;
totquantity = totquantity + quantity;
run;
```

What is the value of the variable TOTQUANTITY in the second observation?

- A.0
- B.1
- C.3
- D.. (missing numeric)

Answer: D

13. The following SAS program is submitted:

```
libname temp 'SAS data library';
data work.new;
set temp.jobs;
format newdate mmdyy10.;
mdate = month(newdate);
ddate = weekday(newdate);
run;
proc print data = work.new;
```

run;

The variable NEWDATE contains the SAS date value for April 15, 2005.

What output is produced if April 15, 2005 falls on a Friday?

A.Obs newdate mdate ddate

1 04/15/2005 APR 6

B.Obs newdate mdate ddate

1 04/15/2005 4 6

C.Obs newdate mdate ddate

1 04/15/2005 APR 7

D.Obs newdate mdate ddate

1 04/15/2005 4 7

Answer: B

14. The following SAS program is submitted:

```
data work.empsalary;
```

```
set work.people (in = inemp)
```

```
work.money (in = insal);
```

```
if insal and inemp;
```

```
run;
```

The SAS data set WORK.PEOPLE has 5 observations, and the data set WORK.MONEY has 7 observations.

How many observations will the data set WORK.EMPSALARY contain?

A.0

B.5

C.7

D.12

Answer: A

15. The following SAS program is submitted:

```
data work.sets;
```

```
do until (prod gt 6);
```

```
prod + 1;
```

```
end;
```

```
run;
```

What is the value of the variable PROD in the output data set?

A.6

B.7

C.8

D.. (missing numeric)

Answer: B

More [A00-211 exam](#) information

### Related SAS Institute A00-211 Exams

[A01-250](#) SAS Platform Administration

[A00-212](#) SAS Advanced Programming Exam for SAS 9

[A00-211](#) SAS Base Programming for SAS 9

[A00-201](#) sas base programming exam

[A00-203](#) sas warehouse development specialist concepts exam

[A00-202](#) sas advanced programming exam

[A00-205](#) sas web and server-side application development

[A00-204](#) sas warehouse architect concepts

**Other SAS Institute Exams**

A00-202

A00-204

A00-205

A00-203

A01-250

A00-201

A00-212

A00-206

A00-211