

Exam : [HP HP0-A22](#)

Title : **NonStop Systems and
Technologies**

Version : **Demo**

1. Which utility displays system resource use in block mode and bar graph form?

- A. PEEK
- B. ViewSys
- C. ViewPoint
- D. SEEVIEW

Answer: B

2. In a NonStop NS16000 series server, what is one of the functions of the LSU?

- A. disk mirroring
- B. memory reintegration
- C. system load balancing
- D. correcting memory errors

Answer: B

3. What is the default TCP/IP port number used by the OSM Service Connection when connecting to the NS-series system?

- A. 7500
- B. 7501
- C. 9990
- D. 9991

Answer: C

4. What is a key attribute of online transaction processing?

- A. Distributed processing does not work well with online transaction processing applications.
- B. The application keeps the database current at all times by recording transactions as they occur.
- C. Application complexity and high performance must be compromised to attain data integrity and data security.
- D. The system may be unable to back out those transactions that transform the database from one consistent state to another.

Answer: B

5. What is the function of Group Numbers when they are assigned to hardware components?

- A. They determine the order in which racks are added to the system.
- B. They enable disk drives to be switched from group to group easily.
- C. They correspond to the processor numbers housed within the group.
- D. They uniquely identify the IOAM and p-switch components of the system.

Answer: D

6. Which adapter in NS-series systems provides connectivity to the M8xxx disk drives?

- A. FESA
- B. G4SA
- C. FCSA
- D. SNDA

Answer: C

7. Which OSM application is used to change the IP address of the p-switch in an NS-series system?

- A. Event Viewer
- B. Low-Level Link
- C. Service Application
- D. Notification Director

Answer: B

8. In an NS-series server, what is the maximum number of Fibre Channel Disk Modules (FCDM) that can be daisy-chained together?

- A. 2
- B. 4
- C. 6
- D. 8

Answer: B

9. What do you configure to enable automatic dial-out of problem event messages to a service provider?

A. \$0

B. GMCSC

C. OSM Notification Director

D. OSM Service Connection

Answer: C

10. A ServerNet Link connects a ServerNet node to which other component in a ServerNet SAN?

A. a TorusNet node

B. a ServerNet router

C. a different ServerNet group

D. a Fibre Channel disk module

Answer: B